

EFFECTOS QUIMICOS DE LOS COMPONENTES DE LOS ESMALTES SOBRE EL DESARROLLO DE LOS COLORES

PIGMENTOS	TEMP. MAXIMA	K2O / Na2O	CaO	ZnO	PbO	Al2O3	B2O3	ZrO2	SnO2
-----------	-----------------	---------------	-----	-----	-----	-------	------	------	------

AMARILLO - NARANJA

K-2320	1250	0	0	<	>	0	<	>	0
K-2323	1250	0	0	<	>	0	<	>	0
GS-318	1250	<	0	0	0	0	0	>	0
TOP-3090	1280	<	0	0	0	0	0	>	0

CORAL

K-2322	1250	0	>	<	>	0	<	0	>
K-2338	1250	<	0	<	<	0	<	>	0
K-2398	1250	1	>	<	>	0	<	1	>
K-4228	1250	0	>	<	>	0	<	1	>
GS-328	1250	0	>	<	>	0	<	0	>
GS-664	1250	<	0	<	<	0	<	>	0
GS-691	1250	<	0	<	<	0	<	>	0
TOP-1515	1280	<	0	<	<	0	<	>	0

Cd - Se

K-2424	1250	0	0	<	>	0	<	>	0
1758/2	1300	0	0	<	>	0	<	>	0
1759/2	1300	0	0	<	>	0	<	>	0
1760/2	1300	0	0	<	>	0	<	>	0
GS-2851	1300	0	0	<	>	0	<	>	0
GS-377-C	1300	0	0	<	>	0	<	>	0
TOP-1010	1280	0	0	<	>	0	<	>	0
TOP-2876	1280	0	0	<	>	0	<	>	0

TOP-3770	1280	0	0	<	>	0	<	>	0
TOP-7070	1280	0	0	<	>	0	<	>	0
P-2791	1100	0	0	<	>	0	<	>	0
P-2793	1100	0	0	<	>	0	<	>	0
P-2794	1100	0	0	<	>	0	<	>	0
P-9921	1100	0	0	<	>	0	<	>	0
P-9928	1100	0	0	<	>	0	<	>	0

TURQUESA									
GS-655	1250	0	0	0	0	0	0	>	>
TOP-2803	1280	0	0	0	0	0	0	>	>

MARRON									
K-2291	1250	<	0	>	>	>	<	0	0
K-2292	1250	<	0	>	>	>	<	0	0
K-2293	1250	<	0	>	>	>	<	0	0
K-2295	1250	<	0	>	>	>	<	0	0
K-2334	1250	<	0	>	>	>	<	0	0
K-2475	1250	<	0	>	>	>	<	0	0
GS-189	1250	<	0	>	>	>	<	0	0
GS-192	1250	<	0	>	>	>	<	0	0
GS-200	1250	<	0	>	>	>	<	0	0

ROSA - VIOLETA									
K-2278	1250	0	>	<	>	0	<	0	>
K-2302	1250	<	0	<	<	0	<	>	0
K-2349	1200	0	>	<	>	0	<	0	>
GS-927	1250	0	>	<	>	0	<	0	>
TOP-2180	1280	0	>	<	>	0	<	0	>
TOP-3250	1280	0	>	>	>	0	<	0	>

VERDE									
K-2297	1250	0	0	<	0	0	0	0	0
K-2347	1250	0	0	<	0	0	0	0	0
K-4509	1250	0	0	<	0	0	0	0	0
KT-2037	1250	0	0	<	0	0	0	0	0
GS-113	1300	0	0	<	0	0	0	0	0
GS-803	1250	0	0	<	0	0	0	0	0
TOP-2326	1280	0	0	<	0	0	0	0	0
TOP-3900	1280	0	0	<	0	0	0	0	0

AZUL									
GS-351	1300	0	0	>	0	>	0	0	0
GS-880	1300	0	0	>	0	>	0	0	0
TOP-2901	1280	0	0	>	0	>	0	0	0
TOP-3901	1280	0	0	>	0	>	0	0	0

GRIS									
K-2286	1250	0	0	<	<	0	0	>	0
K-4816	1250	0	0	<	<	0	0	>	0
KT-1090	1160	0	0	<	>	0	0	<	>
KT-4240	1250	0	0	<	>	0	0	<	>
TOP-3190	1280	0	0	<	>	0	0	<	>

NEGRO									
K-6038	1250	>	>	<	0	<	0	<	<
GS-760	1280	>	>	<	0	<	0	<	<
TOP-8700	1280	>	>	<	0	<	0	<	<